J. Auton. Pharmac. (1987), **7**, 349–350

Author Index

Ahren B., *see* Karlsson S.
Albino Teixeira A., *see* Sarmento A.
Azevedo I., *see* Sarmento A.

Beckeringh J.J., *see* Michel M.C.
Bood M., *see* Karlsson S.
Brodde O.-E., *see* Michel M.C.
Brunelli G., Daffonchio L., Hernandez A., Sala A., Omini C. & Berti F.: PGD_2 induces pulmonary hyperresponsiveness to acetylcholine *in vivo* in the guinea pig, 281

Ceroni G., *see* Dorigo P.
Chang J.-Y., Hardebo J.E., Owman Ch., Sahlin Ch. & Svendgaard N. Aa.: Nerves containing serotonin, its interaction with noradrenaline, and characterization of serotonin receptors in cerebral arteries of monkey, 317
Chiba S. & Kawai K.: Responses of isolated canine and simian femoral arteries and veins to phenylephrine, xylazine and KCl after removal of endothelium, 3
Connor H.E. & Drew G.M.: Do adrenaline-containing neurones from the rostral ventrolateral medulla excite preganglionic sympathetic cell bodies?, 87
Cook C.J., Hartley M.L., Pennefather J.N. & Story M.E.: Cholinoreceptors in the isolated costo uterine muscle of the rat, 165

de Pace D.M., see O'Flynn R.P.
Daffonchio L., *see* Brunelli G.
Dail W.G., McGuffee L., Minorsky N. & Little S.: Responses of smooth muscle strips from penile erectile tissue to drugs and transmural nerve stimulation, 287
DeGaris R.M. & Pennefather J.N.: Prolonged supersensitivity to noradrenaline of smooth muscle of the epididymal half of the rat vas deferens denervated by vasectomy, 267
Doggrell S.A.: Differential antagonism of the initial fast and secondary slow contractile responses of the rat isolated aorta to 5-hydroxytryptamine by mianserin and ketanserin, 157
Dorigo P., Gaion R.M., Giacometti A., Ceroni G. & Maragno I.: Possible role of adenosine in relaxant effect of amrinone on guinea-pig ileum, 53
Downing O.A., *see* Wilson V.G.
Drew G.M., *see* Connor H.E.
Dupont A.G., *see* van der Niepen P.

Elfellah M.S. & Reid J.L.: The role of skeletal muscle β-adrenoreceptors in the regulation of plasma potassium, 175
Elverdin J.C., Fiszman M.L., Stefano F.J.E. & Perec C.J.: Interaction between amphetamine and α_2-postsynaptic adrenoreceptors in the rat submaxillary gland, 199

Fiszam M.L., *see* Elverdin J.C.
Fukushi Y. & Wakui M.: Involvement of cholinergic nerves in excitatory junction potentials through prejunctional nicotinic receptors in the guinea-pig vas deferens, 309

Giacometti A., *see* Dorigo P.
Giaon R.M., *see* Dorigo P.
Giuliani S., *see* Maggi C.A.
Golenhofen K., *see* Milenov K.
Gothert M. *see* Michel M.C.

Håkanson R., *see* Kannisto P.
Hardebo J.E., *see* Chang J.-Y.
Hartley M.L., *see* Cook C.J.
Hata T., Kita T., Kamanaka Y., Honda S., Kakehi K., Kawabata A. & Itoh E.: Catecholamine levels in the brain of SART (repeated cold)-stressed rats, 257
Hernandez A., *see* Brunelli G.

Itoh E., *see* Hata T.

Johns E.J.: The role of angiotensin II in the antidiuresis and antinatriuresis induced by stimulation of the sympathetic nerves to the rat kidney, 205

Kakehi K., *see* Hata T.

Kamanaka Y., *see* Hata T.
Kannisto P., Håkanson R., Owman Ch., Schmidt G. & Wahlestedt C.: GABA suppresses stimulation-induced release of [^{3}H]-noradrenaline from sympathetic nerve fibres in bovine ovarian follicles, 339
Kawabata A., *see* Hata T.
Karlsson S., Bood M. & Ahrén B.: The mechanism of 2-deoxyglucose-induced insulin secretion in the mouse, 135
Kawai K., *see* Chiba S.
Kita T., *see* Hata T.
Korstanje C. & van Zwieten P.A.: Characterization of α-adrenoreceptor mediated reduction of flow in a saline-perfused constant pressure model of perfused hindquarters of rat, 71

Larsson B., *see* Skärby T.V.Ch.
Lefebvre R.A., *see* van der Niepen P.
Levin S.L.: Is atropine a pilocarpine antagonist in cases of eliminated parasympathetic innervation of the human parotid salivary gland?, 215
Little S., *see* Dail W.G.
Lokhandwala M.F., *see* Sowinski B.A.

McGuffee L., *see* Dail W.G.
Maggi C.A., Guiliani S., Santicioli P. & Meli A.: Capsaicin-induced inhibition of motility of the rat isolated vas deferens: do multiple neuropeptides mediate the visceromotor effects of capsaicin?, 243
, Guiliani S., Santicioli P., Regoli D. & Meli A.: Peripheral effects of neurokinins: functional evidence for the existence of multiple receptors, 11
, Meli A. & Santicioli P.: Neuroeffector mechanism in the voiding cycle of the guinea-pig urinary bladder, 295
Maragno I., *see* Dorigo P.
Martinez-Mir I., Morales-Olivas F.J. & Rubio E.: The lack of the effect of DA-1 and DA-2 dopamine agonists on the isolated guinea-pig atria, 111
Meli A., *see* Maggi C.A.
Michel M.C., Wang X.L., Schlicker E., Gothert M., Beckeringh J.J. & Brodde O.-E.: Increased β_1-adrenoreceptor density in heart, kidney and lung of spontaneously hypertensive rats, 41
Michelson E.L., *see* Pelleg A.
Milenov K. & Golenhofen K.: Contractile responses of canine gastric muscle to peptides of the cholecystokinin group, 145
Minorsky N., *see* Dail W.G.
Morales-Olivas F.J., *see* Martinez-Mir I.

O'Flynn R.P. & de Pace D.M.: The effects of noradrenaline on reticulocytes of the albino rat, 33
Omini C., *see* Brunelli G.
Owman Ch., *see* Chang J.-Y.
see also Kannisto P.

Pelleg A. & Michelson E.L.: Role of the vagus in modulation by Ca^{2+} of the depressant action of adenosine and adenosine 5'-triphosphate on the canine sinus node *in vivo*, 127
Pennefather J.N., *see* Cook C.J.
see also DeGaris R.M.
Perec C.J., *see* Elverdin J.C.
Petty M.A.: The cardiovascular effects of the neurohypophysial hormone oxytocin, 97

Regoli D., *see* Maggi C.A.
Reid J.L., *see* Elfellah M.S.
Rubio E., *see* Martinez-Mir I.

Sahlin Ch., *see* Chang J.-Y.
Sala A., *see* Brunelli G.
Santicioli P., *see* Maggi C.A.
Sarmento A., Soares-da-Silva P., Albino Teixeira A. & Azevedo I.: Effects of denervation induced by 6-hydroxydopamine on cell nucleus activity of arterial and cardiac cells of the dog, 119
Schlicker E., *see* Michel M.C.
Schmidt G., *see* Kannisto P.
Skärby T.V.Ch. & Larsson B.: Theoretical and functional studies on α_1-and α_2-adrenoreceptors: an examination using the Schild plot, 185
Soares-da-Silva P., *see* Sarmento A.
Sowinski B.A. & Lokhandwala M.F.: Identification of dopamine receptor subtypes in the hypotensive action of SK&F 85174 in anaesthetized rats, 105
Stefano C.J., *see* Elverdin J.C.
Story M.E., *see* Cook C.J.
Svendgaard N. Aa., *see* Chang J.-Y.

van der Niepen P., Lefebvre R.A. & Dupont A.G.: Neurogenic vasodilatation produced by fenoldopam in the rat hindquarters vascular bed, 331
van Zwieten P.A., *see* Korstanje C.

Wahlestedt C., *see* Kannisto P.
Wakui M., *see* Fukushi Y.
Wang X.L. *see* Michel M.C.
Wilson K.A., *see* Wilson V.G.
Wilson V.G., Wilson K.A. & Downing O.A.: A comparison of the ability of various α-adrenoreceptor agonists to induce EGTA-resistant contractions of rat aorta, 61

J. Auton. Pharmac. (1987), **7**, 351–352

Subject Index

Acetylcholine, hyperresponse of lung, 281
Adenosine:
  deaminase, 53
  depressant action, 127
  guinea-pig ileum, 53
Adrenaline, 119
Adrenaline-containing neurones, 87
Adrenoreceptors:
  amphetamine interaction, 199
  aorta of rat, 61
  density in hypertensive rat organs, 41
  propranolol induced blockade, 281
  regulation of plasma potassium, 175
  theory and function, 185
  vasopressor response in rat, 71
Amidephrine, 61
Amphetamine, 199
Amrinone, relaxant effect, role of adenosine, 53
Angiotensin, in antidiuresis, 205
Antagonism to contraction of rat aorta, 157
Antidiuresis, 205
Antinatriuresis, 205
Aorta, rat, α-adrenoreceptor agonists, 61
Apomorphine, 111
Artery:
  cerebral, 317
  lingual, 185
  mesenteric, 233
  vasoconstrictor response, 3
Atropine, 127, 165, 199, 215, 287, 295, 309

Bicuculline, 295, 339
Bladder, neuroeffectors, 295
Brain, rat, catecholamine, 257
BRL 34915, spasm effects, 233
Bromocriptine, 111
Bunazosin, 3

Caerulein, 145
Calcitonin, 243
Calmodulin, 71
Capsaicin, motility inhibition, 243
Carbachol, 267, 287
Cardiovascular, effects of oxytocin, 97
Catecholamine, 257
Cholecystokinin, gastric muscle response, 145
Cholinoreceptors in rat uterine muscle, 165
Clonidine, 199
Cirazoline, 71
Corynanthine, 61
Cow, ovary, GABA, 339
Cyproheptadine, 157

Denervation, induced by hydroxydopamine, 119
Desipramine, 339
Dihydroergotamine, 157
Dipyridamole, 53
DMPP, 165
Dog:
  blood vessel response to adrenoreceptor agonists, 3
  cardiac cell denervation by hydroxydopamine, 119
  gastric muscle response to cholecystikinin, 145
  vagus in depressant action, 127
Domperidone, 105, 111
Dopamine:
  hydroxylase, 317
  rat brain, 257
  receptor agonists, 111
  receptor subtype identification, 105
  6-hydroxy, 41, 119, 339
Dysautonomia, rat brain catecholamine, 257

Fenoldopam, 105, 111, 331

GABA, 295, 339
Gallopamil, 71
Glomerular filtration, 205
Glucose-induced insulin secretion mechanism, 135
Guanabenz, 199
Guanethidine, 267, 309, 317
Guanfacine, 61
Guinea-pig:
  bladder neuroeffectors, 295
  ileum, adenosine in relaxant effect of amrinone, 53
  lung, acetylcholine response, 281
  testis, cholinergic nerves, 309

Heart:
  adrenoreceptor density in hypertensive rats, 41
  pig atria, dopamine agonists, 111
Hexamethonium, 135, 295, 309, 331
Human salivary gland, 215
Hydroxydopamine, induced denervation, 119
Hydroxytryptamine, 317
Hypertension:
  adrenoreceptor density in rat organs, 41
  domamine receptor identification, 105

Idazoxan, 157
Iodocyanopindolol, 41
Insulin, glucose-induced secretion mechanism, 135

Kassinin, 243
KCl, 3, 71, 233, 267
Ketanserin, 157, 317
Kidney, adrenoreceptors in hypertensive rats, 41

Lung, adrenoreceptors in hypertensive rats, 41

Medulla, adrenaline-containing neurones, 87
Methacholine, 165, 199
Methoxamine, 71
Methisergide, 157
Methylatropine, 135
Methyliodide, 295
Mianserin, antagonism to rat aorta contraction, 157
Monkey, blood vessel response, 3, 317
Mouse, insulin secretion mechanism, 13
Muscle:
  gastric, response to cholecystokinin, 145
  penile, 287
  potassium regulation by adrenoreceptors, 175
  testis, 267
  uterus cholinoreceptors, 165
Muscimol, 339

Neuroeffector mechanisms, 295
Neurokinins, 11, 243
Neurones, adrenaline-containing, 87
Neuropeptides, 243
Nicorandil, 233
Nicotine, 165
Nicotinic receptors, 309
Nifedipine, 71, 233
Nisoxetine, 267
Noradrenaline:
  smooth muscle supersensitivity, 267
  reticulocytes, effects on, 33
  suppression, 339
  see also 3, 119, 185, 233, 257, 287, 331
Normetanephrine, 339

Oxytocin, cardiovascular effects, 97
Ovalbumin, 281

Pentagastrin, 145
Pentobarbitone, 205
Phentolamine, 87, 135, 157, 287, 309, 317, 331
Phenylephrine, 61, 267, 331
  response of isolated blood vessels, 3
Physostigmine, 165, 295
Picrotoxin, 295
Pilocarpine, 165, 215
Pirenzepine, 165
Piribedil, 111
Potassium chloride, response of isolated blood vessels, 3
  see also KCl
Potassium, regulation by muscle adrenoreceptors, 175
Prazosin, 61, 157, 185, 267, 331
Propranolol, 33, 87, 135, 281, 309
Prostaglandin, 281

Quinpirole, 105

Rabbit:
  spasm effects of BRL 34915
Rat:
  adrenoreceptor mediated vasopression, 71
  amphetamine and adrenoreceptors, 199
  aorta, α-adrenoreceptor agonists, 61
  aorta contraction antagonism, 157
  catecholamine in brain, 257
  cholinoreceptors, uterine muscle, 165
  kidney, 205
  penis tissue, 287
  reticulocytes, effect of noradrenaline, 33
  testis, 243, 267
  vasodilatation by fenoldopam, 331
Rauwolscine, 71, 185
Relaxant, adenosine with amrinone on guinea-pig ileum, 53
Renal blood flow, 205
Reserpine, 111, 199, 287
Reticulocytes, effects of noradrenaline, 33

Salivary gland, 215
Saponin, 3
Schild Plot, 185
Serotonin, 317
Sympathetic, preganglionic cell body excitation, 87

Testis, 243, 309
Tetradotoxin, 145, 243, 287, 295, 309, 317, 339
Theophylline, 53
Theory, adrenoreceptors, 185
Tryptamine, 5-hydroxy, 157
Tubocuranine, 309

Vagus, modulation of depressant action of ATP, 127
Vasodilatation, by fenoldopam, 331
Vein, response to phenylephrine, 3

Xylazine, response of isolated blood vessels, 3